



Tasmanian Government

### Request for Bacteriological Analysis of Shellfish Lease Water

**Public Health Laboratory**  
18 St Johns Avenue  
New Town TAS 7008  
Phone: (03) 6166 1106  
Email: [publichealth.lab@health.tas.gov.au](mailto:publichealth.lab@health.tas.gov.au)  
Website: [www.health.tas.gov.au/phlab](http://www.health.tas.gov.au/phlab)

**Customer:** TSQAP \_\_\_\_\_

**Contact Details (new customers or amendments)**

**Address:** \_\_\_\_\_

**Email:** \_\_\_\_\_

**Tel:** (03) 61660690      **Fax:** \_\_\_\_\_

**Date Sampled:** \_\_\_\_\_

**Date Received:** \_\_\_\_\_

**Time Received:** . \_\_\_\_\_

**Purchase Order:** \_\_\_\_\_

**Sampling Officer:** \_\_\_\_\_

**Signature:** \_\_\_\_\_

**Reason for Analysis:**

TSQAP Survey

Effluent/Sewage Spill

**Tide Stage (use below):**

1	Low Rising
2	Mid Rising
3	High
4	Mid Falling
5	Low Falling
6	Low

**Wind Direction (use below)**

1	North
2	North-East
3	East
4	South-East
5	South
6	South-West
7	West
8	North-West
9	Calm

Sample Site	Site No.	Time	Tide	Wind	Temp. (°C)	Salinity

**Requested Testing**

*Salmonella* spp.  
 \* *Listeria* spp.

Thermotolerant Coliforms  
 *E. coli*  
 Enterococci

Coliforms  
 Heterotrophic Colony Count  
 \* Marine Colony Count

\* Test is not NATA-accredited

**Comments:**

**Laboratory Use Only**

Temperature on Receipt: \_\_\_\_\_ °C

Job Number: \_\_\_\_\_

Registered by: \_\_\_\_\_